

STERNMED[®]



Onex 202

Electro-Hydraulic Surgery Table



www.sternmed.de

STERNMED[®]



Onex 202

Electro-Hydraulic Surgery Table

The Onex 202 is an Electro-hydraulic operating surgical table that can be set up and positioned easily with a remote control.

The interchangeable top is made of antistatic, radiolucent material with latex free cushions to provide great comfort for the patient. With it's highly stable hydraulic system, this device is able to carry up to 297 kg patient weight.

FEATURES

- Realizing all kinds of surgical positioning required clinically, with simple manual control
- Integrated kidney elevator 0~136 mm height adjustment
- All positions can be controlled from the remote control
- Floor locking system activate with a single pedal.
- Double joint head section
- 300 mm Longitudinal movement
- Most of the movement assisted with gas spring system






ACCESSORIES

- Headrest system
- Crossbar adaptor
- Arm/Hand surgery table
- Facial/Occipital head rest
- Orthopedic extension device
- Wrist support system
- X-ray cassette tray
- Body restraint strap
- Arm restraint strap
- Leg restraint strap
- L-shaped Anesthesia Screen
- L-shaped Anesthesia Screen with 2 wings
- Easy arm board
- Arm board with ball-joint
- Lateral Arm board
- Leg support padded
- Lateral support padded
- Shoulder Support padded
- Foot-rest padded
- Radial Accessory clamp
- Accessory clamp
- Infusion Stand
- Instrument tray
- Drain pan

TECHNICAL SPECIFICATIONS

Onex 202 | SternMed Electro-Hydraulic Surgery Table

Table Length	2020 mm
Table Width without side rails	520 mm
Lowest Table Level	680 mm
Highest Table Level	940 mm
Trendelenburg/Reverse	30°/30°
Lateral Tilt (left/right)	20°/20°
Head Plate (up/down) detachable	30°/45°
Back Plate (up/down)	75°/25°
Leg Plate (up/down) detachable	5°/90°
Leg Plate (split) detachable	180°
Kidney bridge elevator UP	≥ 136 mm
Longitudinal sliding	300 ± 10 mm
Load Capacity	297 kg





STERNMED[®]

SternMed GmbH
Schubertstrasse 31
88214 Ravensburg - Germany

Tel: +49 751 35 978 0
Fax: +49 751 35 978 105

email@sternmed.de

Rev. V. 0.0

© SternMed GmbH – All rights reserved.

SternMed GmbH reserves the right to make changes in specifications and features shown herein, or discontinue the product described at any time without notice or obligation. Contact your SternMed Representative for the most current information.

www.sternmed.de