

Product Catalog

Physiotherapy & Rehabilitation



3-Section Treatment Table



CA65^{TRIO}

3 Section Therapeutic Table (Electric)



- 1 Year on Gas Struts, Castors, Upholstery
- 2 Years on Electronic Components
- 3 Years on Frame & Pillar



Prussian Blue Licorice Black Dim Grey Merlot (Red Wine) Creamy Beige



1 Motor



Hand Control



Foot Control



2 / 3 / 4
Sides Elevating Bar

Maximum User Weight
225 kgs / 496 lbs



Product Features

The CA65 Trio Power Hi-Lo Treatment Table for physical therapy is one of the most popular 3-section therapeutic tables in our existing product range. This electric hi-lo treatment table is sought-after for physical therapy purposes due to its versatility in terms of adjustable head and foot drop sections.



- Hydraulic version (CA65H) is also available
- Equipped with 1 Motorized Actuator for Hi/Lo Adj.
- Twin "Oversized" Pillars for Added Stability
- Individual "Leveling Foot" on All 4 Corners
- Retractable Castors at Both Ends
- Twin Gas Struts for Solid Head and Leg Sections Support
- Maximum User Weight :225 kgs / 496 lbs
- 100~240VAC (Universal Voltage)
- Plug Type: US Plug

Technical Specifications



Technical Specifications:

- Minimum Height: 460mm / 18.11" inch
- Maximum Height: 910mm / 35.83" inch
- Table Top Width: 700mm / 27.56" inch
- Head Section Length: 685mm / 26.97" inch
- Mid Section Length: 565mm / 22.24" inch
- Leg Section Length: 680mm / 26.77" inch
- Total Length: 1955mm / 76.97" inch
- Head Tilt Angles: -35° to +87°
- Leg Tilt Angles: -29° to +20°
- Lift Mechanism: Electric
- Breathing Hole/Plug: 1
- Retractable Castors: 4
- Weight Rating (Max. Load): 225kgs / 496lbs
- Weight: 190 lbs.
- Package Dimension: 88X30X22" H

Electrical Data:

- Control Box Input Voltage & Rating: 100~240VAC, 50/60Hz, 2A
- Control Box Output Voltage: DC 32V, 80VA
- Actuator Input Voltage: DC 24V
- Duty cycle: Max. 10% 2min. ON / 18min. OFF
- Max. Load: Push 8000N
- Max. Current: Max. 6A

CERTIFIED TO AAMI / CSA / IEC / EN STD

AAMI ES 60601-1, CSA-C22.2 NO. 60601-1

IEC 60601-1, EN 60601-1

The electrical components used are approved by IEC 60601-1

energy[®]

**ONE STOP SHOP
FOR ALL YOUR
PHYSIO AND REHAB
NEEDS**

Bracing & Supports
Physiotherapy Modalities
rPMS

Spinal Decompression Therapy
Transcranial Magnetic Stimulation

Hot & Cold Therapy

Exercise Therapy

Cryo Chamber

Treatment Tables

Hydrotherapy Pool

Underwater Treadmill

Virtual Rehab

Balancing Platform

GAIT Lab

Isokinetic System

NeuroRehabilitation Robot

Robotic GAIT Trainer

Spine & Whole Body Analysis

Imported & Marketed by

Energy Incorporation

5277 | 8th Street | Ram Nagar North Extension | Madipakkam |
Chennai 600091 | India, T: +91 44 4006 7974, +91 72000 53696 |
incorporation@energy.in | customercare@energy.in | www.energy.in

Manufactured by

Everyway

Taiwan